

Ø 800 INSTALLATION ACCESSORIES 安装附件

□-920N



常规凹网罩 Concave grid 920N		
型号 MODEL	h	t
YSWF138L100P6-920N-800	175	90
YSWF138L100P8-920N-800	175	90
YSWF138L76P12-920N-800	175	66

□-910H




带导风圈 Wall plate 910H	
型号 MODEL	t
YSWF138L100P6-910H-800	15
YSWF138L100P8-910H-800	15
YSWF138L76P12-910H-800	—

MaEr Fan Motor
Professional · Honest · Human Oriented
info@yilida.com

Ø 900 AC AXIAL FAN 外转子轴流风机








型号 Model	电压 Voltage	频率 Frequency	电容器 Capacitor	曲线 Curve	输入功率 Power	转速 RPM	电流 Current	静压 Psf	环境温度 Temp.	静压效率 ηsf	能效值 EFF.Grade	噪声 Noise	备注 Note
	V	Hz	μF/450V	NO.	W	r/min	A	Pa	℃	%	N	dB/(A)	
YSWF127L80P6-□-900	3~380	50	—	Ⓐ	1738	901	3.62	135	-40~+60	33.99	38.9	77	
YSWF127L80P6-□-900	3~380	50	—	Ⓑ	1770	891	3.72	158	-40~+60	36.95	41.6	76	
		60		Ⓒ	1879	1061	3.69	165	-40~+55	35.53	40	78	
YSWF127L80P8-□-900	3~380	50	—	Ⓓ	849	633	1.77	75	-40~+65	26.95	34	69	
		60		Ⓔ	1018	693	1.89	76	-40~+60	24.42	30.5	71	

注：性能曲线在安装马尔导风圈时测得。Note: The performance curve is tested with MaEr wall plate.


Ø 900 INSTALLATION ACCESSORIES 安装附件

□-1075N



常规凹网罩 Concave grid 1075N
型号 MODEL
YSWF127L80P6-1075N-900
YSWF127L80P8-1075N-900

□-1010H



带导风圈 Wall plate 1010H
型号 MODEL
YSWF127L80P6-1010H-900
YSWF127L80P8-1010H-900

MaEr Fan Motor
Professional · Honest · Human Oriented
info@yilida.com


Ø 900 AC AXIAL FAN 外转子轴流风机



叶轮材质：铝合金塑料混合式



Impeller Material：Hybrid




动压/ Dynamic pressure：$p_d=1.14x10^{-7}xQ^2(p_a)$

型号 Model	电压 Voltage	频率 Frequency	电容器 Capacitor	曲线 Curve	输入功率 Power	转速 RPM	电流 Current	静压 Psf	环境温度 Temp.	静压效率 ηsf	能效值 EFF.Grade	噪声 Noise	备注 Note
	V	Hz	μF/450V	NO.	W	r/min	A	Pa	℃	%	N	dB/(A)	
YSWF138L118P6-1010H-900	3~380	50	—	Ⓐ	2579	905	4.98	130	-40~+50	28.72	32	77	
YSWF138L118P8-1010H-900	3~380	50	—	Ⓑ	1268	691	2.91	83	-40~+65	28.13	34	71	
		60		Ⓒ	1851	779	3.39	103	-40~+65	26.60	31	73	
YSWF138L76P12-1010H-900	3~380	50	—	Ⓓ	393	434	1.02	47	-40~+65	23.70	32.5	63	
		60		Ⓔ	514	472	1.10	41	-40~+65	22.46	30.5	65	

注：性能曲线在安装马尔导风圈时测得。Note: The performance curve is tested with MaEr wall plate.


Ø 900 INSTALLATION ACCESSORIES 安装附件

□-1075N



常规凹网罩 Concave grid 1075N		
型号 MODEL	h	t
YSWF138L118P6-1075N-900	186	94
YSWF138L118P8-1075N-900	186	94
YSWF138L76P12-1075N-900	186	52

□-1010H



带导风圈 Wall plate 1010H	
型号 MODEL	t
YSWF138L118P6-1010H-900	40
YSWF138L118P8-1010H-900	40
YSWF138L76P12-1010H-900	—

MaEr Fan Motor
Professional · Honest · Human Oriented
info@yilida.com



Shaded pole motor
罩极电机系列

图片仅供参考，请以实物为准